## Dallas County Health and Human Services 2016–2017 Influenza Surveillance Report

Week 6 ending February 11, 2017

## **Epidemiologic Summary**

- Influenza activity is decreasing in Dallas County with 25.8% of tests returning positive during week 6. Nationally, 24.2% of specimens reported to CDC were positive for influenza.
- Daily numbers of emergency department visits for influenza-like illness in Dallas County were slightly above baseline levels and 179 influenza-associated hospitalizations were reported during week 6.
- Two influenza-associated deaths were reported in week 6. No influenza-associated pediatric deaths have been reported during the 2016-2017 season in Dallas County.
- RSV activity is decreasing with 13.8% of tests from area surveillance sites testing positive.

Table 1. Summary of Influenza Surveillance from Dallas County Hospitals and Hospital Laboratories

Week Ending	1/7	1/14	1/21	1/28	2/4	2/11	9/11/16 –
CDC Week	1	2	3	4*	5*	6*	Present
Total Influenza PCR Tests	853	952	933	863	1,009	1,229	12,379
Number of positive PCR tests	77	152	179	162	251	357	1322
Percent of positive PCR tests	9.0	16.0	19.2	18.8	24.9	29.1	
Total Rapid Influenza Diagnostic Tests	706	847	990	1,278	2,111	2,402	14,507
Number of positive RIDTs	90	110	222	313	629	606	2,228
Percent of positive RIDTs	12.8	13.0	22.4	24.5	29.8	25.2	
Total Influenza Tests Performed	1,623	1,824	1,974	2,192	3,183	3,727	28,888
Total positive influenza tests <sup>1</sup>	168	262	401	475	881	963	3,558
Percent positive influenza tests	10.4	14.7	20.3	21.7	27.7	25.8	
Positive influenza A tests <sup>2</sup>	151	247	384	443	816	886	3,249
Positive influenza B tests	17	15	17	32	65	77	309
Non-differentiated influenza tests <sup>3</sup>	0	0	0	2	0	0	2

<sup>&</sup>lt;sup>1</sup> Includes positive rapid antigen, PCR, DFA, or culture results

**Table 2.** Summary of Influenza Hospitalizations and Deaths from Dallas County Hospitals, Vital Statistics and Medical Examiner's Office

Week Ending	1/7	1/14	1/21	1/28	2/4	2/11	9/11/16-
CDC Week	1	2	3	4	5*	6*	Present
Influenza hospitalizations <sup>4</sup>	39	69	95	80	112	179	670
Confirmed pediatric deaths <sup>5</sup>	0	0	0	0	0	0	0
Confirmed adult deaths <sup>6</sup>	0	2	1	1	1	2	7
Possible influenza-associated deaths <sup>7</sup>	0	1	0	0	0	0	1

<sup>4</sup> Reflects all influenza-associated hospitalizations reported from hospitals located within Dallas County by week of any positive influenza tests

Data source(s): 15 Hospitals in Dallas County

Table 3. Confirmed Influenza-associated Pediatric and Adult Deaths, Dallas County: 2011–2017 Seasons

	2011–2012	2012–2013	2013–2014	2014–2015	2015–2016	2016–2017
Pediatric	1	3	3	0	1	0
Adult	0	6	55	19	14	7

Data source(s): Reports of confirmed influenza-associated deaths, as defined in Table 2.

<sup>&</sup>lt;sup>2</sup> Further subtyping is performed only by select hospital laboratories for specimens referred to DCHHS by institutions for PCR-testing

<sup>&</sup>lt;sup>3</sup> Non-differentiated refers to rapid test results which did not differentiate between influenza A and B

<sup>&</sup>lt;sup>5</sup> Confirmed influenza-associated deaths of Dallas County residents <18 years of age

<sup>&</sup>lt;sup>6</sup> Confirmed influenza-associated deaths as defined by a positive laboratory test, compatible symptoms, and clear progression from illness to death, or determination by the County Medical Examiner's office (ME) of no alternate cause of death

<sup>&</sup>lt;sup>7</sup> Possible influenza-associated deaths are defined as cases with laboratory-confirmed influenza, but pending final autopsy results for determination of primary cause of death

<sup>\*</sup>Indicates preliminary results which are subject to change with late-arriving data from surveillance sites designated for DCHHS' seasonal influenza program

Figure 1. Influenza Positive Tests Reported to DCHHS by Hospital Laboratories: 2016 - 2017 Seasons





Figure 2. Influenza Positive Tests Reported to DCHHS by Hospital Laboratories: 2014–2017 Seasons







Figure 3. Hospitalized Influenza Patients by Week of Admission, Dallas County: 2015-2017 Seasons

**Figure 4.** Syndromic Surveillance of Emergency Department Visits for Influenza-like Illness (ILI), Dallas County: September 1, 2014 – February 11, 2017



Data source: 18 emergency departments in Dallas County hospitals participating in the Electronic Surveillance System for the Early Notification of Community-based Epidemics (ESSENCE) voluntarily reporting the numbers of persons presenting with self-reported chief complaints of ILI.

**Table 4.** Influenza Typing and Subtyping from Cumulative Dallas County, Texas, and U.S. Laboratory Surveillance Data: 2016-2017 Season

	Dallas <sup>1</sup>	Texas <sup>2</sup>	U.S. <sup>3</sup>
	(n=475)	(n=1,014)	(n=18,965)
Influenza A	443 (93.3%)	904 (89.2%)	17,389 (91.7%)
H1N1 2009 subtype	63 (14.4%)	141 (15.7%)	414 (2.4%)
H3N2 subtype	375 (85.6%)	757 (84.3%)	16,687 (97.6%)
Not subtyped	5	6	288
Influenza B	32(6.7%)	110 (10.8%)	1,576 (8.3%)

<sup>&</sup>lt;sup>1</sup> DCHHS LRN laboratory PCR testing of designated Dallas County surveillance site isolates

<sup>&</sup>lt;sup>2</sup> DSHS 2015–2016 Texas Influenza Surveillance Information Activity Report available at <a href="https://www.dshs.state.tx.us/idcu/disease/influenza/surveillance/2017/">https://www.dshs.state.tx.us/idcu/disease/influenza/surveillance/2017/</a>

<sup>&</sup>lt;sup>3</sup> CDC FluView Weekly Influenza Surveillance Report available at <a href="http://www.cdc.gov/flu/weekly/">http://www.cdc.gov/flu/weekly/</a>






Figure 5. Percentage of Student Absences by Week, Dallas County: 2015-2016 and 2016-2017





Data source: Voluntary reporting from Independent School Districts representing over 510 elementary, middle, and secondary schools and over 420,000 students in Dallas County

Table 5. Non-Influenza Respiratory Virus Testing by North Texas Laboratories Reported to NREVSS, Week 6


Virus	Number of Laboratories Reporting	Tests Performed	Total Positive Tests	Percentage of Tests Positive	
Adenovirus (respiratory)	4	512	8	1.6%	
HMPV	4	477	15	3.1%	
Parainfluenza virus	4	474	12	2.5%	
Rhinovirus/enterovirus	4	477	69	14.5%	
RSV	4	767	106	13.8%	

Data source: National Respiratory and Enteric Virus Surveillance System (NREVSS) and hospitals reporting directly to DCHHS

Figure 7. Number and Percent Positive RSV Rapid Antigen and PCR Tests by Week, NREVSS Surveillance Data, North Texas:

August 22, 2015 – February 11, 2017

300 7



Data source: National Respiratory and Enteric Virus Surveillance System (NREVSS) and hospitals reporting directly to DCHHS

**Table 6.** Number and Percent Positive RSV Rapid Antigen and PCR Tests by Week, NREVSS Surveillance Data, North Texas: August 20, 2016 – February 11, 2017

Week Ending	12/31	1/7	1/14	1/21	1/28	2/4	2/11	8/20/16-
CDC Week	52	1	2	3	4	5*	6*	Present
RSV tests performed weekly	800	741	745	677	673	687	767	9,669
Total positive RSV tests	246	215	140	105	104	98	106	1,889
Percent positive RSV tests	30.8	29.0	18.8	15.5	15.5	14.3	13.8	

<sup>\*</sup>Indicates preliminary results which are subject to change as adjustments are made for late-arriving data Data source: National Respiratory and Enteric Virus Surveillance System (NREVSS)

## Please report any of the following patients to DCHHS within 1 working day:

- Hospitalized patients with influenza (any subtype). Confirmation can be by any laboratory test, rapid antigen, culture, PCR, DFA/IFA, or performed in an outpatient or inpatient laboratory.
- **Deaths of persons with confirmed influenza** (any subtype). We are requesting all pediatric influenza-associated deaths to be reported *immediately* to facilitate specimen procurement and testing.
- Suspected influenza infections involving institutional outbreaks or a resident of any Long Term Care facility (please report
  immediately).

Phone: (214) 819-2004 Email: influenza@dallascounty.org