Dallas County Health and Human Services 2017–2018 Influenza Surveillance Report

Week 47 ending November 25, 2017

Epidemiologic Summary

- Influenza activity is increasing in Dallas County with 9.8% of tests returning positive during week 47. Nationally, 7.2% of specimens reported to CDC were positive for influenza.
- As of week 47, the most frequently identified influenza, in Dallas County, has been influenza type A (90%). The predominant influenza A subtype has been H3N2 (65.9%).
- Daily numbers of emergency department visits for influenza-like illness in Dallas County were slightly above baseline levels and 49 influenza-associated hospitalizations were reported during week 47.
- RSV activity has been increasing.

Table 1. Summary of Influenza Surveillance from Dallas County Hospitals and Hospital Laboratories

Week Ending	10/21	10/28	11/04	11/11	11/18	11/25	9/10/17 –
CDC Week	42	43	44	45	46*	47*	Present
Total Influenza PCR Tests	511	531	650	706	746	696	5,659
Number of positive PCR tests	9	17	25	41	60	41	215
Percent of positive PCR tests	1.8	3.2	3.9	5.8	8.0	5.9	
Total Rapid Influenza Diagnostic Tests	537	606	703	778	877	1,130	5,902
Number of positive RIDTs	22	29	52	72	109	141	354
Percent of positive RIDTs	4.1	4.8	7.4	9.3	12.4	12.5	
Total Influenza Tests Performed	1,087	1,175	1,401	1,527	1,674	1,858	11,971
Total positive influenza tests ¹	31	46	77	113	169	182	688
Percent positive influenza tests	2.9	3.9	5.5	7.4	10.1	9.8	
Positive influenza A tests ²	28	30	60	86	139	145	532
Positive influenza B tests	3	16	17	27	30	37	156
Non-differentiated influenza tests ³	0	0	0	0	0	0	0

¹ Includes positive rapid antigen, PCR, DFA, or culture results

Table 2. Summary of Influenza Hospitalizations and Deaths from Dallas County Hospitals, Vital Statistics and Medical Examiner's Office

Week Ending	10/21	10/28	11/04	11/11	11/18	11/25	9/10/17 –
CDC Week	42	43	44	45	46*	47*	Present
Influenza hospitalizations ⁴	7	12	20	26	64	49	201
Confirmed pediatric deaths ⁵	0	0	0	0	0	0	0
Confirmed adult deaths ⁶	0	0	0	0	0	0	0
Possible influenza-associated deaths ⁷	0	0	0	0	0	0	0

⁴ Reflects all influenza-associated hospitalizations reported from hospitals located within Dallas County by week of any positive influenza tests; Data source:14 Hospitals in Dallas County

Table 3. Confirmed Influenza-associated Pediatric and Adult Deaths, Dallas County: 2011–2018 Seasons

	2012–2013	2013–2014	2014–2015	2015–2016	2016–2017	2017–2018
Pediatric	3	3	0	1	1	0
Adult	6	55	19	14	16	0

Data source: Reports of confirmed influenza-associated deaths, as defined in Table 2.

² Further subtyping is performed only by select hospital laboratories for specimens referred to DCHHS by institutions for PCR-testing

³ Non-differentiated refers to rapid test results which did not differentiate between influenza A and B

⁵ Confirmed influenza-associated deaths of Dallas County residents <18 years of age

⁶ Confirmed influenza-associated deaths as defined by a positive laboratory test, compatible symptoms, and clear progression from illness to death, or determination by the County Medical Examiner's office (ME) of no alternate cause of death


⁷ Possible influenza-associated deaths are defined as cases with laboratory-confirmed influenza, but pending final autopsy results for determination of primary cause of death

^{*}Indicates preliminary results which are subject to change with late-arriving data from surveillance sites designated for DCHHS' seasonal influenza program

200 12.0% Type A 180 Туре В Percent Positive 10.0% 160 **Number of Positive Tests** 140 8.0% **Percent Positive** 120 100 6.0% 80 4.0% 60 40 2.0% 20 0.0% 0 40 45 46 37 38 39 43 44 47 September October November **CDC Week - Month**

Figure 1. Influenza Positive Tests Reported to DCHHS by Hospital Laboratories: 2017 - 2018 Seasons





Note: For Figure 2 and all subsequent trend overlays there is no week 53 for the 2015-2016 or 2016-17 influenza seasons, therefore week 53 data point for those seasons is an average of week 52 and week1.





Figure 3. Hospitalized Influenza Patients by Week of Admission, Dallas County: 2016-2018 Seasons

Figure 4. Syndromic Surveillance of Emergency Department Visits for Influenza-like Illness (ILI), Dallas County: September 1, 2015 – November 25, 2017



Data source: 18 emergency departments in Dallas County hospitals participating in the Electronic Surveillance System for the Early Notification of Community-based Epidemics (ESSENCE) voluntarily reporting the numbers of persons presenting with self-reported chief complaints of ILI.

Table 4. Influenza Typing and Subtyping from Cumulative Dallas County, Texas, and U.S. Laboratory Surveillance Data: 2017-2018 Season

	Dallas¹ (n=49)	Texas² (n=765)	U.S. ³ (n=1,970)
Influenza A	44 (89.8%)	576 (75.3%)	1,714 (87.0%)
H1N1 2009 subtype	15 (34.1%)	62 (36.9%)	169 (10.0%)
H3N2 subtype	29 (65.9%)	106 (63.1%)	1,527 (90.0%)
Not subtyped	0	408	18
Influenza B	5 (10.2%)	189 (24.7%)	255 (13.0%)

¹ DCHHS LRN laboratory PCR testing of designated Dallas County surveillance site isolates

² DSHS 2017–2018 Texas Influenza Surveillance Information Activity Report available at https://www.dshs.state.tx.us/idcu/disease/influenza/surveillance/

³ CDC FluView Weekly Influenza Surveillance Report available at http://www.cdc.gov/flu/weekly/





Figure 5. Percentage of Student Absences by Week, Dallas County: 2016-2017 and 2017-2018

Figure 6. Percentage of Student Absences Due to ILI by Week, Dallas County: 2016-2017 and 2017-2018




Data source: Voluntary reporting from Independent School Districts representing over 510 elementary, middle, and secondary schools and over 420,000 students in Dallas County

Table 5. Non-Influenza Respiratory Virus Testing by North Texas Laboratories Reported to NREVSS, Week 47

Virus	Number of Laboratories Reporting	Tests Performed	Total Positive Tests	Percentage of Tests Positive	
Adenovirus (respiratory)	3	164	2	1.2%	
HMPV	3	157	1	0.6%	
Parainfluenza virus	3	164	7	4.3%	
Rhinovirus/Enterovirus	3	157	28	17.8%	
RSV	3	416	63	15.1%	

Figure 7. Number and Percent Positive RSV Rapid Antigen and PCR Tests by Week, NREVSS Surveillance Data, North Texas: August 27, 2016 – November 25, 2017



Data source: National Respiratory and Enteric Virus Surveillance System (NREVSS) and hospitals reporting directly to DCHHS

Table 6. Number and Percent Positive RSV Rapid Antigen and PCR Tests by Week, NREVSS Surveillance Data, North Texas: August 26, 2017 – November 25, 2017

Week Ending	10/14	10/21	10/28	11/04	11/11	11/18	11/25	8/26/17-
CDC Week	41	42	43	44	45	46	47*	Present
RSV tests performed weekly	309	302	391	440	620	733	416	4,590
Total positive RSV tests	19	26	42	54	118	185	63	548
Percent positive RSV tests	6.2	8.6	10.7	12.3	19.0	25.2	15.1	

^{*}Indicates preliminary results which are subject to change as adjustments are made for late-arriving data Data source: National Respiratory and Enteric Virus Surveillance System (NREVSS)

Please report any of the following patients to DCHHS within 1 working day:

- **Hospitalized patients with influenza** (any subtype). Confirmation can be by any laboratory test, rapid antigen, culture, PCR, DFA/IFA, or performed in an outpatient or inpatient laboratory.
- **Deaths of persons with confirmed influenza** (any subtype). We are requesting all pediatric influenza-associated deaths to be reported *immediately* to facilitate specimen procurement and testing.
- Suspected influenza infections involving institutional outbreaks or a resident of any Long Term Care facility (please report
 immediately).

Phone: (214) 819-2004 Email: influenza@dallascounty.org