Dallas County Health and Human Services 2018–2019 Influenza Surveillance Report

Week 42 ending October 20, 2018

Epidemiologic Summary

- Influenza activity remains low in Dallas County with 1.8% of tests returning positive during week 42.
- Daily numbers of emergency department visits for influenza-like illness in Dallas County were at baseline levels and five influenza-associated hospitalization was reported during week 42.
- No influenza-associated deaths were reported in week 42. No influenza-associated pediatric deaths have been reported during the 2018-2019 season in Dallas County.
- RSV activity increased with 8.1% of tests from area surveillance sites testing positive.

Table 1. Summary of Influenza Surveillance from Dallas County Hospitals and Hospital Laboratories

Week Ending CDC Week	9/15 37	9/22 38	9/29 39	10/06 40*	10/13 41*	10/20 42*	9/09/18 – Present
Total Influenza PCR Tests	534	493	582	581	640	688	3,518
Number of positive PCR tests	3	0	1	5	0	2	11
Percent of positive PCR tests	0.6	0.0	0.2	0.9	0.0	0.3	
Total Rapid Influenza Diagnostic Tests	171	230	268	306	445	506	1,926
Number of positive RIDTs	4	5	6	5	8	19	47
Percent of positive RIDTs	2.3	2.2	2.2	1.6	1.8	3.8	
Total Influenza Tests Performed	707	726	850	887	1,085	1,194	5,449
Total positive influenza tests ¹	7	5	7	10	8	21	58
Percent positive influenza tests	1.0	0.7	0.8	1.1	0.7	1.8	
Positive influenza A tests ²	3	4	3	3	5	11	29
Positive influenza B tests	4	1	4	7	3	10	29
Non-differentiated influenza tests ³	0	0	0	0	0	0	0

¹ Includes positive rapid antigen, PCR, DFA, or culture results

Table 2. Summary of Influenza Hospitalizations and Deaths from Dallas County Hospitals, Vital Statistics and Medical Examiner's Office

Week Ending	9/15	9/22	9/29	10/06	10/13	10/20	10/27	9/09/18 –
CDC Week	37	38	39	40*	41*	42*	43*	Present
Influenza hospitalizations ⁴	1	0	0	3	1	5	N/A	10
Influenza ICU admissions ⁴	1	0	0	0	0	1	N/A	2
Confirmed pediatric deaths ⁵	0	0	0	0	0	0	0	0
Confirmed adult deaths ⁶	0	0	0	0	0	0	0	0
Possible influenza-associated deaths ⁷	0	0	0	0	0	0	0	0

⁴ Reflects all influenza-associated hospitalizations reported from hospitals located within Dallas County by week of any positive influenza tests; Data source:14 Hospitals in Dallas County

Table 3. Confirmed Influenza-associated Pediatric and Adult Deaths, Dallas County: 2013-2019 Seasons

	2013–2014	2014–2015	2015–2016	2016–2017	2017–2018	2018–2019
Pediatric	3	0	1	1	4	0
Adult	55	19	14	16	79	0

Data source(s): Reports of confirmed influenza-associated deaths, as defined in Table 2.

² Further subtyping is performed only by select hospital laboratories for specimens referred to DCHHS by institutions for PCR-testing

 $^{^{3}}$ Non-differentiated refers to rapid test results which did not differentiate between influenza A and B

⁵ Confirmed influenza-associated deaths of Dallas County residents <18 years of age

⁶ Confirmed influenza-associated deaths as defined by a positive laboratory test and any of the following: (1) death certificate denotation, (2) medical record documentation of compatible symptoms and clear progression from illness to death, or (3) determination by the County Medical Examiner's office (ME) of no alternate cause of death

⁷ Possible influenza-associated deaths are defined as cases with laboratory-confirmed influenza, but pending final autopsy results for determination of primary cause of death

^{*}Indicates preliminary results which are subject to change with late-arriving data from surveillance sites designated for DCHHS' seasonal influenza program





Figure 1. Influenza Positive Tests Reported to DCHHS by Hospital Laboratories: 2016—2019 Seasons

Table 4. Influenza Typing and Subtyping from Cumulative Dallas County, Texas, and U.S. Laboratory Surveillance Data: 2018—2019 Season

	Dallas¹ (n=16)	Texas² (n=17)	U.S. ³ (n=1,894)
Influenza A	1 (0.0%)	7 (100.0%)	115 (76.7%)
H1N1 2009 subtype	0 (0.0%)	7 (100.0%)	73 (78.5%)
H3N2 subtype	1 (100.0%)	0 (0.0%)	20 (21.5%)
Not subtyped	0	0	22
Influenza B	0 (0.0%)	0 (0.0%)	35 (23.3%)
Yamagata strain	0 (0.0%)	0 (0.0%)	10 (47.6%)

¹ DCHHS LRN laboratory PCR testing of designated Dallas County surveillance site isolates; counts may not sum to total as samples can test positive for multiple subtypes

Figure 2. Syndromic Surveillance of Emergency Department Visits for Influenza-like Illness (ILI), Dallas County: September 1, 2016 – October 20, 2018



Data source: 18 emergency departments in Dallas County hospitals participating in the Electronic Surveillance System for the Early Notification of Community-based Epidemics (ESSENCE) voluntarily reporting the numbers of persons presenting with self-reported chief complaints of ILI.

² DSHS 2018–2019 Texas Influenza Surveillance Information Activity Report available at https://www.dshs.state.tx.us/idcu/disease/influenza/surveillance/


³ CDC FluView Weekly Influenza Surveillance Report available at http://www.cdc.gov/flu/weekly/

Table 5. Non-Influenza Respiratory Virus Testing by North Texas Laboratories Reported to NREVSS, Week 42

Virus	Number of Laboratories Reporting	Tests Performed	Total Positive Tests	Percentage of Tests Positive	
Adenovirus (respiratory)	4	265	8	3.0	
HMPV	4	252	1	0.4	
Parainfluenza virus	4	265	12	4.5	
Rhinovirus/Enterovirus	4	252	88	38.9	
RSV	4	393	32	8.1	

Data source: National Respiratory and Enteric Virus Surveillance System (NREVSS) and hospitals reporting directly to DCHHS

Figure 3. Number and Percent Positive RSV Rapid Antigen and PCR Tests by Week, NREVSS Surveillance Data, North Texas: August 25, 2017 – October 20, 2018



Data source: National Respiratory and Enteric Virus Surveillance System (NREVSS) and hospitals reporting directly to DCHHS

Table 6. Number and Percent Positive RSV Rapid Antigen and PCR Tests by Week, NREVSS Surveillance Data, North Texas: August 25, 2018 – October 20, 2018

Week Ending	09/08	09/15	09/22	09/29	10/06	10/13	10/20	8/25/18-
CDC Week	36	37	38	39	40*	41*	42*	Present
RSV tests performed weekly	199	296	285	319	313	354	393	2,470
Total positive RSV tests	3	9	7	14	18	23	32	113
Percent positive RSV tests	1.5	3.0	2.5	4.4	5.8	6.5	8.1	

*Indicates preliminary results which are subject to change as adjustments are made for late-arriving data Data source: National Respiratory and Enteric Virus Surveillance System (NREVSS)





Figure 4. Percentage of Student Absences by Week, Dallas County: 2017-2018 and 2018-2019

Figure 5. Percentage of Student Absences Due to ILI by Week, Dallas County: 2017-2018 and 2018-2019



Data source: Voluntary reporting from Independent School Districts representing over 510 elementary, middle, and secondary schools and over 420,000 students in Dallas County

Please report any of the following patients to DCHHS within 1 working day:

- **Hospitalized patients with influenza** (any subtype). Confirmation can be by any laboratory test, rapid antigen, culture, PCR, DFA/IFA, or performed in an outpatient or inpatient laboratory.
- **Deaths of persons with confirmed influenza** (any subtype). We are requesting all pediatric influenza-associated deaths to be reported *immediately* to facilitate specimen procurement and testing.
- Suspected influenza infections involving institutional outbreaks or a resident of any **Long Term Care facility** (please report *immediately*).

Phone: (214) 819-2004 Email: influenza@dallascounty.org