

		Bob Barker Company, Inc. 4925 Purfoy Road Fuquay Varina, NC 27526 Angela DeBoesser 800-334-9880				ICS Jail Supplies, Inc. PO Box 21056 Waco, TX 76702 Lacy Key 254-751-1566				MTJ American 4276 Helena Street Granite Falls, NC 28630 Rick A Dettler 828-396-6700				Charm-Tex, Inc. 1618 Coney Island Ave Brooklyn, NY 11230 Stan Danzger 718-252-8100			
Bid # 2022-017-6932																	
Contract for the Purchase of New Mattresses																	
Item #	Description:	Award Recommended Line(s) #1				Award Recommended Line(s) #5								Award Recommended Line(s) #2, 3, 4			
		Estimated Quantity	Unit of Measure	Unit Cost	Extended Total	Estimated Quantity	Unit of Measure	Unit Cost	Extended Total	Estimated Quantity	Unit of Measure	Unit Cost	Extended Total	Estimated Quantity	Unit of Measure	Unit Cost	Extended Total
1	<p>Mattress 25" W x 75" L x 4" H</p> <p>Durable, antimicrobial, antistatic, flame resistant, stain, odor, and fluid resistant. 5 inches compressed into a 4 inch thickness. Color: Dark Green- Stitching: Double-needle, lock-stitch-sewn seams Cleaning: Wipes clean with soap and water, or properly diluted disinfectant Flammability: Cover and Batting meet or exceed flame resistance standards including DOC Federal Flammability (FF-4-72) and California Technical Bulletin 129 and 603. Durability: Resistant to delaminating from flexing action. Stitching: Sewn with double locking stitch. Thread: 100% bonded nylon for added strength and durability. Construction: Constructed with a single piece of vinyl. Two sides are closed with a double-needle locking stitch. Core Specs Material: 100% Polyester Pad No chemicals or additional ingredients added, core is non-allergenic Composition: Mixture of polyester fibers, low melt fibers, and virgin fibers Cover Specs General Description: PVC Vinyl with non-cracking properties. Envelope style cover. Color: Dark Green Material: Vinyl Thickness: 17 - 20 mil Weight: 12 oz. per sq yard Flammability: Flame Resistant, Passes Cigarette Ignition Std. Passes NFPA-701 Large Scale. Strength: 3-ply vinyl-laminate cover (two layers of vinyl bonded to a tough synthetic scrim) Water Resistant: Liquid, body waste and hospital medications cannot penetrate. Tear Strength: Punctures will not produce running rips. Warp* - 124 lbs. Fill** - 99 lbs. Breaking Strength: Construction designed for ticking fabrics (vinyl fabrics). Warp* - 236 lbs./in. Fill** - 219 lbs./in. *Warp is the scrim running length of the fabric. **Fill is the scrim running the width of the fabric. Delivered in sealed dust proof plastic bags (required) and boxes (optional).</p>	12,200	Each	\$ 39.92	\$ 487,024.00	12,200	Each	\$ 41.97	\$ 512,034.00	12,200	Each	\$ 47.00	\$573,400.00	12,200	Each	\$ 58.90	\$ 718,580.00
2	<p>Mattress 37" W x 75" L x 6" H</p> <p>Durable, antimicrobial, antistatic, flame resistant, stain, odor, and fluid resistant. 5 inches compressed into a 4 inch thickness. Color: Dark Green- Stitching: Double-needle, lock-stitch-sewn seams Cleaning: Wipes clean with soap and water, or properly diluted disinfectant Flammability: Cover and Batting meet or exceed flame resistance standards including DOC Federal Flammability (FF-4-72) and California Technical Bulletin 129 and 603. Durability: Resistant to delaminating from flexing action. Stitching: Sewn with double locking stitch. Thread: 100% bonded nylon for added strength and durability. Construction: Constructed with a single piece of vinyl. Two sides are closed with a double-needle locking stitch. Core Specs Material: 100% Polyester Pad No chemicals or additional ingredients added, core is non-allergenic Composition: Mixture of polyester fibers, low melt fibers, and virgin fibers Cover Specs General Description: PVC Vinyl with non-cracking properties. Envelope style cover. Color: Dark Green Material: Vinyl Thickness: 17 - 20 mil Weight: 12 oz. per sq yard Flammability: Flame Resistant, Passes Cigarette Ignition Std. Passes NFPA-701 Large Scale. Strength: 3-ply vinyl-laminate cover (two layers of vinyl bonded to a tough synthetic scrim) Water Resistant: Liquid, body waste and hospital medications cannot penetrate. Tear Strength: Punctures will not produce running rips. Warp* - 124 lbs. Fill** - 99 lbs. Delivered in sealed dust proof plastic bags (required) and boxes (optional). Breaking Strength: Construction designed for ticking fabrics (vinyl fabrics). Warp* - 236 lbs./in. Fill** - 219 lbs./in. *Warp is the scrim running length of the fabric. **Fill is the scrim running the width of the fabric. Delivered in sealed dust proof plastic bags (required) and boxes (optional).</p>	30	Each	No Bid	\$ -	30	Each	No Bid	\$ -	30	Each	\$ 180.00	\$ 5,400.00	30	Each	\$ 111.90	\$ 3,357.00

3	<p>Mattress 38 1/2" W x 74 1/2" L x 6" H Durable, antimicrobial, antistatic, flame resistant, stain, odor, and fluid resistant. 5 inches compressed into a 4 inch thickness. Color: Dark Green- Stitching: Double-needle, lock-stitch-sewn seams Cleaning: Wipes clean with soap and water, or properly diluted disinfectant Flammability: Cover and Batting meet or exceed flame resistance standards including DOC Federal Flammability (FF-4-72) and California Technical Bulletin 129 and 603. Durability: Resistant to delaminating from flexing action. Stitching: Sewn with double locking stitch. Thread: 100% bonded nylon for added strength and durability. Construction: Constructed with a single piece of vinyl. Two sides are closed with a double-needle locking stitch. Core Specs Material: 100% Polyester Pad No chemicals or additional ingredients added, core is non-allergenic Composition: Mixture of polyester fibers, low melt fibers, and virgin fibers Cover Specs General Description: PVC Vinyl with non-cracking properties. Envelope style cover. Color: Dark Green Material: Vinyl Thickness: 17 - 20 mil Weight: 12 oz. per sq yard Flammability: Flame Resistant. Passes Cigarette Ignition Std. Passes NFPA-701 Large Scale. Strength: 3-ply vinyl-laminate cover (two layers of vinyl bonded to a tough synthetic scrim) Water Resistant: Liquid, body waste and hospital medications cannot penetrate. Tear Strength: Punctures will not produce running rips. Warp* - 124 lbs. Fill** - 99 lbs. Breaking Strength: Construction designed for ticking fabrics (vinyl fabrics). Warp* - 236 lbs./in. Fill** - 219 lbs./in. *Warp is the scrim running length of the fabric. **Fill is the scrim running the width of the fabric. Delivered in sealed dust proof plastic bags (required) and boxes (optional).</p>	50	Each	No Bid	\$ -	50	Each	No Bid	\$ -	50	Each	\$ 185.00	\$ 9,250.00	50	Each	\$ 112.90	\$ 5,645.00
4	<p>Sealed Seam Mattress 36" W x 75" L x 5" H Durable, antimicrobial, antistatic, flame resistant, stain, odor, and fluid resistant. Heat Sealed Seam to help prevent Bed Bugs 6 inches compressed into a 5 inch thickness. Color: Dark Green- Weight: 18 lbs. Cleaning: Wipes clean with soap and water, or properly diluted disinfectant Fabric to provide physical barrier to prevent contaminants from entering Breathable vents that cannot be ripped apart Flammability: Cover and Batting meet or exceed flame resistance standards including DOC Federal Flammability (FF-4-72) and California Technical Bulletin 129 and 603. Durability: Resistant to delaminating from flexing action. Construction: Constructed with a single piece of vinyl. All side heat sealed Core Specs Material: 100% Bonded Polyester Fiber Thermally bonded polyester fiber. No chemicals or additional ingredients added, core is non-allergenic. Mold, mildew and flame resistant Cover Specs PVC Vinyl with non-cracking properties. Heat Sealed Seams to prevent Bed Bugs and tampering Color: Dark Green Material: Vinyl Thickness: 17 - 20 mil Weight: 12 oz. per sq. yard Strength: 3-ply vinyl-laminate cover (two layers of vinyl bonded / tough synthetic scrim) Water Resistant: Liquid, body waste and hospital medications cannot penetrate. Tear Strength: Punctures will not produce running rips. Warp* - 124 lbs. Fill** - 99 lbs. Breaking Strength: Construction designed for ticking fabrics (vinyl fabrics). Warp* - 236 lbs./in. Fill** - 219 lbs./in. *Warp is the scrim running length of the fabric. **Fill is the scrim running the width of the fabric. Delivered in sealed dust proof plastic bags (required) and boxes (optional).</p>	200	Each	No Bid	\$ -	200	Each	No Bid	\$ -	200	Each	\$ 175.00	\$ 35,000.00	200	Each	\$ 97.90	\$ 19,580.00

5	<p>Sealed Seam Pillow 17" x 25" Durable, antimicrobial, antistatic, flame resistant, stain, odor, and fluid resistant. Heat Sealed Seam to help prevent Bed Bugs 2 inch thickness / Firm Color: Dark Green- Size: 17" x 25" Weight: 2.2 lbs. Cleaning: Wipes clean with soap and water, or properly diluted disinfectant Flammability: Cover and Batting meet or exceed flame resistance standards including DOC Federal Flammability (FF-4-72) and California Technical Bulletin 129 and 603. Durability: Resistant to delaminating from flexing action. Construction: Constructed with a single piece of vinyl. All side heat sealed Core Specs Material: 100% Bonded Polyester Fiber 10oz No chemicals or additional ingredients added, core is non-allergenic. Mold, mildew and flame resistant Cover Specs PVC Vinyl with non-cracking properties. Heat Sealed Seams to prevent Bed Bugs and tampering Color: Dark Green Material: Vinyl Thickness: 17 - 20 mil Weight: 12 oz. per sq. yard Strength: 3-ply vinyl-laminate cover (two layers of vinyl bonded / tough synthetic scrim) Water Resistant: Liquid, body waste and hospital medications cannot penetrate. Tear Strength: Punctures will not produce running rips. Warp* - 124 lbs. Fill** - 99 lbs. Breaking Strength: Construction designed for ticking fabrics (vinyl fabrics). Warp* - 236 lbs. /in. Fill** - 219 lbs. /in. *Warp is the scrim running length of the fabric. **Fill is the scrim running the width of the fabric. Delivered in sealed dust proof plastic bags (required) and boxes (optional).</p>	400	Each	No Bid	\$ -	400	Each	\$ 10.50	\$ 4,200.00	400	Each	\$ 13.80	\$ 5,520.00	400	Each	\$ 10.89	\$ 4,356.00
Grand Total					\$ 487,024.00			\$ 4,200.00									\$ 28,582.00